

1 **SUPPLEMENTARY EU - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 2014/34/EU**

3 Supplementary EU - Type **Baseefa08ATEX0270/2**
Examination Certificate Number:

3.1 In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016

4 Product: **Talentum 16000 Series Flame Detectors**

5 Manufacturer: **FFE Ltd**

6 Address: **9 Hunting Gate, Wilbury Way, Hitchin, Hertfordshire, SG4 0TJ**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa08ATEX0270** to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

8 SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

SGS Baseefa Customer Reference No. **7221**

Project File No. **16/0901**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited


Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail baseefa@sgs.com web site www.sgs.co.uk/baseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

A handwritten signature in blue ink, appearing to read 'R S Sinclair', with a second signature 'M POWNEY' written below it.

R S SINCLAIR

TECHNICAL MANAGER

On behalf of SGS Baseefa Limited

13 **Schedule**

14 **Certificate Number Baseefa08ATEX0270/2**

15 **Description of the variation to the Product**

Variation 2.1

The Type designation 016XXX Series Flame Sensor and it has now changed to Talentum 16000 Series Flame Detectors and includes the following type models. Type models are as follow:-

Model No.	Products	Rating	Dimensions
16219	Talentum IR3 Extended Temperature Flame Detector	30V, 1A	W84mm x H95mm x D45mm
16249	Talentum IR3 Extended Temperature Flame Detector Stainless Steel		
16511	Talentum IR2 Flame Detector		
16519	Talentum IR3 Flame Detector		
16541	Talentum IR2 Flame Detector Stainless Steel		
16549	Talentum IR3 Flame Detector Stainless Steel		
16611	Addressable IR2 Flame Detector		
16619	Addressable IR3 Flame Detector		

Variation 2.2

To allow the use of silicone sealant for adhesion for the certification label .

16 **Report Number**

SGS Baseefa Report Number: Gb/BAS/ExTR17.0042/00

17 **Specific Conditions of Use**

None

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
A2/1526/01	1	C	23/03/2017	General Assembly
06945	1	03	12/05/2017	Label Drawing

These drawing are common to this certificate and are held with IECEx BAS 08.0073.